



PATENT

Docket No. 10527/11

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

APPLICANTS : Bruce H. LEVIN  
SERIAL NO. : 09/883,991  
FILED : 20 June 2001  
FOR : TRACKING SURGICAL IMPLEMENTS WITH  
INTEGRATED CIRCUITS  
GROUP ART UNIT : 3761  
Examiner : (Unassigned)

ASSISTANT COMMISSIONER  
FOR PATENTS  
Washington, DC 20231

**ATTENTION: Customer Service Center  
Initial Patent Examination Division**


**RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS**

SIR:

In response to the Notice to File Corrected Application Papers dated 14 August 2001, submitted herewith are five (5) sheets of formal drawings with proper margins. Please substitute the enclosed sheets for the drawings originally filed with the application.

Respectfully submitted,

Dated: 23 August 2001

  
Julie E. Stein  
(Reg. No. 43,158)

KENYON & KENYON  
1500 K Street, N.W., Suite 700  
Washington, D.C. 20005  
Telephone: (202) 220-4200  
Facsimile: (202) 220-4201



## UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS  
UNITED STATES PATENT AND TRADEMARK OFFICE  
WASHINGTON, D.C. 20231  
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/883,991	06/20/2001	Bruce H. Levin	10527/11

CONFIRMATION NO. 5652

## FORMALITIES LETTER



\*OC00000006423030\*

23838  
KENYON & KENYON  
1500 K STREET, N.W., SUITE 700  
WASHINGTON, DC 20005

Date Mailed: 08/14/2001

## NOTICE TO FILE CORRECTED APPLICATION PAPERS

*Filing Date Granted*

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
  - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. ( 5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center  
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

RECEIVED  
AUG 23 2001  
PATENT & TRADEMARK OFFICE